

Ultra Lithium



Type	6103	6103	6106	6106	6122
Others	AAA, Micro	AAA, Micro	AA, Mignon	AA, Mignon	9V, E-Block
Order-No. / consumer unit	06103 301 402	06103 301 404	06106 301 402	06106 301 404	06122 301 401
Batteries / consumer unit	2	4	2	4	1
Width (mm) Pack	80	80	80	80	80
Height (mm) Pack	120	120	120	120	120
Depth (mm) Pack	12.3	12.3	15.8	15.8	19
Weight (g) Pack	24	39	38	67	50
Minimum pieces / shipment unit	10	10	10	10	10
Innecarton	10	10	10	10	10
Mastercarton	50	50	100	100	50
Voltage (V)	1.5	1.5	1.5	1.5	9.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium	Lithium
Width (mm) Battery	—	—	—	—	26.5
Height (mm) Battery	44.5	44.5	50.5	50.5	49.0
Depth (mm) Battery	—	—	—	—	17.5
Diameter (mm) Battery	10.5	10.5	14.5	14.5	—
Weight (g) Battery	7.7	7.7	14.5	14.5	41.0
IEC	FR10G445	FR10G445	FR14505	FR14505	—
Details	Page 13	Page 13	Page 13	Page 13	Page 13
EAN/GTIN / consumer unit					

*UL certified. Underwriters Laboratories www.ul.com

Longlife Max Power



Plastic-free Packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4703	4703	4703	4703	4703
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04703 101 412	04703 101 404	04703 101 746	04703 101 736	04703 101 418
Batteries / consumer unit	2	4	6	4+2	8
Width (mm) Pack	80	80	64.6	64.6	167
Height (mm) Pack	120	120	120	120	120
Depth (mm) Pack	12.3	12.3	11.2	11.2	12.3
Weight (g) Pack	32	55	76	76	110
Minimum pieces / shipment unit	10	10	20	20	20
Innecarton	10	10	-	—	—
Mastercarton	50	50	20	20	20
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5	10.5
Weight (g) Battery	11.5	11.5	11.5	11.5	11.5
IEC	LR03	LR03	LR03	LR03	LR03
Details	Page 15	Page 15	Page 15	Page 15	Page 15
EAN/GTIN / consumer unit					

Longlife Max Power



Plastic-free
packaging



Plastic-free
packaging



Plastic-free
packaging



Plastic-free
packaging



Plastic-free
packaging

Type	4706	4706	4706	4706	4706
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04706 101 412	04706 101 404	04706 101 746	04706 101 736	04706 101 418
Batteries / consumer unit	2	4	6	4+2	8
Width (mm) Pack	80	80	87.2	87.2	167
Height (mm) Pack	120	120	120	120	120
Depth (mm) Pack	15.8	15.8	15.4	15.4	15.8
Weight (g) Pack	57	104	153	153	209
Minimum pieces / shipment unit	20	20	20	20	20
Innecarton	20	20	—	—	—
Mastercarton	100	100	20	20	20
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8	23.8	23.8
IEC	LR6	LR6	LR6	LR6	LR6
Details	Page 15	Page 15	Page 15	Page 15	Page 15
EAN/GTIN/ consumer unit					

Longlife Max Power



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Type	4714	4720	4722
Others	C, Baby, MN1400, 1/2 Torcia	D, Mono, MN1300, Torcia	9V, E-Block, PP3, MN1604, Transistor
Order-No. / consumer unit	04714 101 422	04720 101 422	04722 101 401
Batteries / consumer unit	2	2	1
Width (mm) Pack	80	90	80
Height (mm) Pack	120	120	120
Depth (mm) Pack	27.4	35	19
Weight (g) Pack	142	285	55
Minimum pieces / shipment unit	6	6	10
Innecarton	6	6	10
Mastercarton	60	30	50
Voltage (V)	1.5	1.5	9.0
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	26.5
Height (mm) Battery	50.0	61.5	48.5
Depth (mm) Battery	—	—	17.5
Diameter (mm) Battery	26.2	34.2	—
Weight (g) Battery	65.8	136.9	46.0
IEC	LR14	LR20	6LR61
Details	Page 1	Page 15	Page 15
EAN/GTIN/ consumer unit			

Longlife Power



Type	4903	4903	4903	
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04903 121 412	04903 121 414	04903 121 884	04903 121 415
Batteries / consumer unit	2	4	4	4+1
Width (mm) Pack	80	80	80	80
Height (mm) Pack	120	120	120	120
Depth (mm) Pack	12.3	12.3	12.3	12
Weight (g) Pack	32	54	54	62
Minimum pieces / shipment unit	10	10	16	10
Innercarton	10	10	—	10
Mastercarton	50	50	16	50
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	11.4	11.4	11.4	11.4
IEC	LR03	LR03	LR03	LR03
Details	Page 17	Page 17	Page 17	Page 17

EAN/GTIN/
consumer unit



Longlife Power



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Type	4906	4906	4903	4906
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04906 121 412	04906 121 414	04906 121 884	04906 121 415
Batteries / consumer unit	2	4	4	4+1
Width (mm) Pack	80	80	80	80
Height (mm) Pack	120	120	120	120
Depth (mm) Pack	15.8	15.8	15.8	16
Weight (g) Pack	57	104	104	127
Minimum pieces / shipment unit	20	20	12	10
Innecarton	20	20	—	10
Mastercarton	100	100	12	50
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8	23.8
IEC	LR6	LR6	LR6	LR6
Details	Page 17	Page 17	Page 17	Page 17
EAN/GTIN/ consumer unit				



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

4912	4912	4914
Normal, MN1203	C, Baby, MN1400, 1/2 Torcia	C, Baby, MN1400, 1/2 Torcia
04912 121 411	04914 121 422	04914 121 424
1	2	4
80	80	167
120	120	120
23	27.4	27.4
181	142	284
10	6	6
10	6	—
50	60	6
4.5	1.5	1.5
Alkaline	Alkaline	Alkaline
62.0	—	—
67.0	50.0	50.0
22.0	—	—
—	26.2	26.2
174.0	65.8	65.8
3LR12	LR14	LR14
Page 17	Page 17	Page 17
 4 008496 159947	 4 008496 128129	 4 008496 128228

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

ASSORTMENT OVERVIEW

Longlife Power



Type	4920	4920	4922	4922
Others	D, Mono, MN1300, Torcia	D, Mono, MN1300, Torcia	9V, E-Block, PP3, MN1604, Transistor	9V, E-Block, PP3, MN1604, Transistor
Order-No. / consumer unit	04920 121 422	04920 121 424	04922 121 411	04922 121 412
Batteries / consumer unit	2	4	1	2
Width (mm) Pack	90	167	80	80
Height (mm) Pack	120	120	120	120
Depth (mm) Pack	35	35	19	19
Weight (g) Pack	285	568	55	101
Min. pieces / shipment unit	6	6	10	10
Innecarton	6	—	10	10
Mastercarton	30	6	50	50
Voltage (V)	1.5	1.5	9.0	9.0
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	26.5	26.5
Height (mm) Battery	61.5	61.5	48.5	48.5
Depth (mm) Battery	—	—	17.5	17.5
Diameter (mm) Battery	34.2	34.2	—	—
Weight (g) Battery	136.9	136.9	46.0	46.0
IEC	LR20	LR20	6LP3146	6LP3146
Details	Page 17	Page 17	Page 17	Page 17
EAN/GTIN/ consumer unit				

Longlife



 Plastic-free
packaging

 Plastic-free
packaging

 Plastic-free
packaging

 Plastic-free
packaging
Available
as of
February
2027
 Plastic-free
packaging

Type	4103	4103	4103	4103	4103
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04103 101 412	04103 101 414	04103 101 814	04103 101 746	04103 101 726
Batteries / consumer unit	2	4	4	6	4+2
Width (mm) Pack	80	80	80	64.6	64.6
Height (mm) Pack	120	120	120	120	120
Depth (mm) Pack	12.3	12.3	12.3	11.2	11.2
Weight (g) Pack	31	54	54	75	75
Min. pieces / shipment unit	10	10	16	20	20
Innercarton	10	10	—	—	—
Mastercarton	50	50	16	20	20
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5	10.5
Weight (g) Battery	11.3	11.3	11.3	11.3	11.3
IEC	LR03	LR03	LR03	LR03	LR03
Details	Page 19	Page 19	Page 19	Page 19	Page 19

EAN/GTIN/
consumer unit

Longlife



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Available
as of
February
2027

Type	4106	4106	4106	4106	4106
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04106 101 412	04106 101 414	04106 101 814	04106 101 736	04106 101 726
Batteries / consumer unit	2	4	4	6	4+2
Width (mm) Pack	80	80	80	87.2	87.2
Height (mm) Pack	120	120	120	120	120
Depth (mm) Pack	15.8	15.8	15.8	15.4	15.4
Weight (g) Pack	55	101	101	150	150
Minimum pieces / shipment unit	20	20	12	20	20
Innecarton	20	20	—	—	—
Mastercarton	100	100	12	20	20
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5	14.5
Weight (g) Battery	23.2	23.2	23.2	23.2	23.2
IEC	LR6	LR6	LR6	LR6	LR6
Details	Page 19	Page 19	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit					

Longlife



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4114	4114	4120
Others	C, Baby, MN1400, 1/2 Torcia	C, Baby, MN1400, 1/2 Torcia	D, Mono, MN1300, Torcia
Order-No. / consumer unit	04114 101 422	04114 101 424	04120 101 422
Batteries / consumer unit	2	4	2
Width (mm) Pack	80	167	90
Height (mm) Pack	120	120	120
Depth (mm) Pack	27.4	27.4	35
Weight (g) Pack	142	284	281
Minimum pieces / shipment unit	6	6	6
Innecarton	6	—	6
Mastercarton	60	6	30
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.0	50.0	61.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	26.2	26.2	34.2
Weight (g) Battery	65.8	65.8	135.1
IEC	LR14	LR14	LR20
Details	Page 19	Page 19	Page 19
EAN/GTIN / consumer unit			



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

4120	4122	4122
D, Mono, MN1300, Torcia	9V, E-Block, PP3, MN1604, Transistor	9V, E-Block, PP3, MN1604, Transistor
04120 101 424	04122 101 411	04122 101 412
4	1	2
167	80	80
120	120	120
35	19	19
561	55	101
6	10	10
—	10	10
6	50	50
1.5	9.0	9.0
Alkaline	Alkaline	Alkaline
—	26.5	26.5
61.5	48.5	48.5
—	17.5	17.5
34.2	—	—
135.1	46.0	46.0
LR20	6LP3146	6LP3146
Page 19	Page 19	Page 19



PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

ASSORTMENT OVERVIEW

Energy



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4103	4103	4103	4103
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04103 229 412	04103 229 414	04103 229 716	04103 229 418
Batteries / consumer unit	2	4	6	8
Width (mm) Pack	80	80	64.6	167
Height (mm) Pack	120	120	120	120
Depth (mm) Pack	12.3	12.3	11.2	12
Weight (g) Pack	31	54	75	100
Minimum pieces / shipment unit	10	10	20	20
Innercarton	10	10	—	—
Mastercarton	50	50	20	20
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	11.3	11.3	11.3	11.3
IEC	LR03	LR03	LR03	LR03
EAN/GTIN/ consumer unit				



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW**4106**AA, Mignon,
MN1500, Stilo

04106 229 412

2

80

120

15.8

55

20

20

100

1.5

Alkaline

—

50.5

—

14.5

23.2

LR6



4 008496 770373

4106AA, Mignon,
MN1500, Stilo

04106 229 414

4

80

120

15.8

101

20

20

100

1.5

Alkaline

—


50.5

—

14.5

23.2

LR6



4 008496 626410

4106AA, Mignon,
MN1500, Stilo

04106 229 716

6

87.2

120

15.4

150

20

—

20

1.5

Alkaline

—

50.5

—

14.5

23.2

LR6



4 008496 230181

4106AA, Mignon,
MN1500, Stilo

04106 229 418

8

167

120

15.8

204

20

—

20

1.5

Alkaline

—


50.5

—

14.5

23.2

LR6



4 008496 626496

Energy



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4114	4120	4122	4122
Others	C, Baby, MN1400, 1/2 Torcia	D, Mono, MN1300, Torcia	9V, E-Block, PP3, MN1604, Transistor	9V, E-Block, PP3, MN1604, Transistor
Order-No. / consumer unit	04114 229 422	04120 229 422	04122 229 411	04122 229 412
Batteries / consumer unit	2	2	1	2
Width (mm) Pack	80	90	80	80
Height (mm) Pack	120	120	120	120
Depth (mm) Pack	27.4	35	19	19
Weight (g) Pack	142	281	55	101
Minimum pieces / shipment unit	6	6	10	10
Innecarton	6	6	10	10
Mastercarton	60	30	50	50
Voltage (V)	1.5	1.5	9.0	9.0
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	26.5	26.5
Height (mm) Battery	50.0	61.5	48.5	48.5
Depth (mm) Battery	—	—	17.5	17.5
Diameter (mm) Battery	26.2	34.2	—	—
Weight (g) Battery	65.8	135.1	46.0	46.0
IEC	LR14	LR20	6LP3146	6LP3146
EAN/GTIN/ consumer unit				

Lithium Coin



Type	CR1216*	CR1220*	CR1225*	CR1616*	CR1616*
IEC	CR1216	CR1220	CR1225	CR1616	CR1616
Order-No. / consumer unit	06216 101 401	06220 101 401	06225 101 401	06616 101 401	06616 101 402
Order-No. / consumer unit International version	—	06220 112 401	—	06616 112 401	—
Batteries / consumer unit	1	1	1	1	2
Width (mm) Blister	56	56	56	56	80
Height (mm) Blister	65	65	65	65	120
Depth (mm) Blister	7	7	7	7	4.5
Weight (g) Blister	3	3	3	3	7
Minimum pieces/ shipment unit	10	10	10	10	10
Innercarton	10	10	10	10	10
Mastercarton	100	100	100	100	100
Voltage (V)	3.0	3.0	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	27	35	48	55	55
Height (mm) Battery	1.6	2.0	2.5	1.6	1.6
Diameter (mm) Battery	12.5	12.5	12.5	16.0	16.0
Weight (g) Battery	0.7	0.9	0.9	1.1	1.1
Details	Page 41	Page 43	Page 43	Page 43	Page 43
EAN/GTIN/ consumer unit					

international Version

Back of the packaging with leporello and additional languages:



*UL certified. Underwrites Laboratories www.ul.com



CR1620*	CR1620*	CR1632*	CR1632*
CR1620	CR1620	CR1632	CR1632
06620 101 401	06620 101 402	06632 101 401	06632 101 402
06620 112 401	—	06632 112 401	—
1	2	1	2
56	80	56	80
65	120	65	120
7	4.5	7	4,5
3	8	4	9
10	10	10	10
10	10	10	10
100	100	100	100
3.0	3.0	3.0	3.0
Lithium	Lithium	Lithium	Lithium
70	70	137	137
2.0	2.0	3.2	3.2
16.0	16.0	16.0	16.0
1.3	1.3	1.8	1.8
Page 43	Page 43	Page 43	Page 43

International Version





Back of the packaging with leporello
and additional languages:



*UL certified. Underwrites Laboratories www.ul.com

Lithium Coin




Type	CR2016*	CR2016*	CR2016*	CR2016*
IEC	CR2016	CR2016	CR2016	CR2016
Order-No. / consumer unit	06016 101 401	06016 101 402	06016 101 404	06016 101 415
Order-No. / consumer unit International version	06016 112 401	—	—	—
Batteries / consumer unit	1	2	4	5
Width (mm) Blister	56	80	80	80
Height (mm) Blister	65	120	120	120
Depth (mm) Blister	7	4.5	4.5	4.5
Weight (g) Blister	4	9	14	16
Minimum pieces / shipment unit	10	10	10	10
Innercarton	10	10	10	10
Mastercarton	100	100	100	100
Voltage (V)	3.0	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	90	90	90	90
Height (mm) Battery	1.6	1.6	1.6	1.6
Diameter (mm) Battery	20.0	20.0	20.0	20.0
Weight (g) Battery	1.8	1.8	1.8	1.8
Details	Page 43	Page 43	Page 43	Page 43
EAN/GTIN / consumer unit				

International Version

Back of the packaging with leporello and additional languages:



*UL certified. Underwrites Laboratories www.ul.com

					
CR2025*	CR2025*	CR2025*	CR2025*	CR2032*	CR2032*
CR2025	CR2025	CR2025	CR2025	CR2032	CR2032
06025 101 401	06025 101 402	06025 101 404	06025 101 415	06032 101 401	06032 101 402
06025 112 401	—	—	—	06032 112 401	—
1	2	4	5	1	2
56	80	80	80	56	80
65	120	120	120	65	120
7	4.5	4.5	4.5	7	4.5
4	10	16	20	5	11
10	10	10	10	10	10
10	10	10	10	10	10
100	100	100	100	100	100
3.0	3.0	3.0	3.0	3.0	3.0
Lithium	Lithium	Lithium	Lithium	Lithium	Lithium
165	165	165	165	230	230
2.5	2.5	2.5	2.5	3.2	3.2
20.0	20.0	20.0	20.0	20.0	20.0
2.5	2.5	2.5	2.5	3.0	3.0
Page 43	Page 43	Page 43	Page 43	Page 43	Page 43
					

International Version

Back of the packaging with leporello
and additional languages:



*UL certified. Underwrites Laboratories www.ul.com

Lithium Coin



Type	CR2032*	CR2032*	CR2320*	CR2354*	CR2430*
IEC	CR2032	CR2032	CR2320	CR2354	CR2430
Order-No. / consumer unit	06032 101 404	06032 101 415	06320 101 401	06354 101 401	06430 101 401
Order-No. / consumer unit Int. version	—	—	—	—	06430 112 401
Batteries / consumer unit	4	5	1	1	1
Width (mm) Blister	80	80	56	56	56
Height (mm) Blister	120	120	65	65	65
Depth (mm) Blister	4.5	4.5	7	7	7
Weight (g) Blister	18	22	5	8	6
Minimum pieces / shipment unit	10	10	10	10	10
Innercarton	10	10	10	10	10
Mastercarton	100	100	100	100	100
Voltage (V)	3.0	3.0	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	230	230	135	530	290
Height (mm) Battery	3.2	3.2	2.0	5.4	3.0
Diameter (mm) Battery	20.0	20.0	23.0	23.0	24.5
Weight (g) Battery	3.0	3.0	2.9	6.4	4.0
Details	Page 43	Page 43	Page 43	Page 43	Page 43
EAN/GTIN/ consumer unit					


International Version

Back of the packaging with leporello and additional languages:



*UL certified. Underwrites Laboratories www.ul.com



CR2430*	CR2430*	CR2450*	CR2450*	CR2450*
CR2430	CR2430	CR2450	CR2450	CR2450
06430 101 402	06430 101 404	06450 101 401	06450 101 402	06450 101 404
—	—	06450 112 401	—	—
2	4	1	2	4
80	80	56	80	80
120	120	65	120	120
7	7	7	7	7
13	22	8	17	31
10	10	10	10	10
10	10	10	10	10
100	100	100	100	100
3.0	3.0	3.0	3.0	3.0
Lithium	Lithium	Lithium	Lithium	Lithium
290	290	570	570	570
3.0	3.0	5.0	5.0	5.0
24.5	24.5	24.5	24.5	24.5
4.0	4.0	6.2	6.2	6.2
Page 43	Page 43	Page 43	Page 43	Page 43
				

International Version


Back of the packaging with leporello
and additional languages:



*UL certified. Underwrites Laboratories www.ul.com

Lithium Coin



Type	CR2477*	CR3032*	CR1/3N*
IEC	CR2477	CR3032	CR11108
Order-No. / consumer unit	06477 101 401	06732 101 401	06131 101 401
Order-No. / consumer unit Int. version	—	—	—
Batteries / consumer unit	1	1	1
Width (mm) Blister	56	56	56
Height (mm) Blister	65	65	65
Depth (mm) Blister	9	5	13
Weight (g) Blister	12	10	5
Minimum pieces / shipment unit	10	10	10
Innercarton	10	10	10
Mastercarton	100	100	100
Voltage (V)	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium
Typical capacity (mAh)	850	550	170
Height (mm) Battery	7.7	3.2	10.8
Diameter (mm) Battery	24.5	30.0	11.6
Weight (g) Battery	10.5	6.7	3.3
Details	Page 43	Page 43	Page 43
EAN/GTIN/ consumer unit			

*UL certified. Underwrites Laboratories www.ul.com

Lithium Cylindrical



Type	V28PXL*	CR-P2*	CR123A*	CR123A*	CR123A*
IEC	—	CR-P2	CR17345	CR17345	CR17345
Order-No. / consumer unit	06231 101 401	06204 301 401	06205 301 401	06205 301 402	06205 301 461
Batteries / consumer unit	1	1	1	2	10
Width (mm) Blister	56	80	80	80	167
Height (mm) Blister	65	120	120	120	120
Depth (mm) Blister	15	20	18	18	18
Weight (g) Blister	11	44	22	38	179
Minimum pieces / shipment unit	10	10	10	10	10
Innecarton	10	10	10	10	10
Mastercarton	100	100	100	100	10
Voltage (V)	6.0	6.0	3.0	3.0	3.0
Electro-chemical System	Lithium	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	170	1450	1430	1430	1430
Width (mm) Battery	—	19.5	—	—	—
Height (mm) Battery	25.1	36.0	34.5	34.5	34.5
Depth (mm) Battery	—	35.0	—	—	—
Diameter (mm) Battery	13.0	—	17.0	17.0	17.0
Weight (g) Battery	8.8	38.0	16.0	16.0	16.0
Details	Page 43	Page 43	Page 43	Page 43	Page 43
EAN/GTIN / consumer unit	 4 008496 1274 154	 4 008496 1537 242	 4 008496 1537 280	 4 008496 1537 327	 4 008496 1995 608

*UL certified. Underwrites Laboratories www.ul.com



2CR5*	CR1/2AA*	CR2*	CR2*	CR2*
2CR5	CR14250	CR15H270	CR15H270	CR15H270
06203 301 401	06127 101 401	06206 301 401	06206 301 402	06206 301 461
1	1	1	2	10
80	80	80	80	167
120	120	120	120	120
18	18	18	18	17
48	14	17	28	129
10	10	10	10	10
10	10	10	10	10
100	100	100	100	10
6.0	3.0	3.0	3.0	3.0
Lithium	Lithium	Lithium	Lithium	Lithium
1400	800	930	930	930
17.0	—	—	—	—
45.0	25.0	27.0	27.0	27.0
34.0	—	—	—	—
—	14.5	15.6	15.6	15.6
42.0	9.0	11.0	11.0	11.0
Page 43	Page 43	Page 43	Page 43	Page 43

Alkaline Special



Type	N	N	AAAA	V4034	V3GA
IEC	LR1	LR1	LR8D425, Mini	4LR44	LR41
Order-No. / consumer unit	04001 101 401	04001 101 402	04061 101 402	04034 101 401	24261 101 401
Order-No. / consumer unit Int. version	04001 112 401	—	—	—	—
Batteries / consumer unit	1	2	2	1	1
Width (mm) Blister	56	80	80	56	56
Height (mm) Blister	65	120	120	65	65
Depth (mm) Blister	13	12.5	10	15	7
Weight (g) Blister	12	24	17	12	3
Min. pieces/ shipment unit	10	10	10	10	10
Innecarton	10	10	10	10	10
Mastercarton	100	100	50	100	100
Voltage (V)	1.5	1.5	1.5	6.0	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Typical capacity (mAh)	850	850	620	170	32
Height (mm) Battery	30.2	30.2	42.5	25.2	3.6
Diameter (mm) Battery	12.0	12.0	8.3	13.0	7.9
Weight (g) Battery	10.0	10.0	6.7	10.15	0.62
Details	Page 45	Page 45	Page 45	Page 45	Page 45
EAN/GTIN/ consumer unit					

International Version

Back of the packaging with leporello and additional languages:





V10GA	V10GA	V11A	V12GA	V12GA
LR54	LR54	LR11	LR43	LR43
04274 101 401	04274 101 402	04211 101 401	04278 101 401	04278 101 402
04274 112 401	—	—	—	—
1	2	1	1	2
56	80	56	56	80
65	120	65	65	120
7	4,5	13	7	7
3	7	6	3	8
10	10	10	10	10
10	10	10	10	10
100	100	100	100	100
1.5	1.5	6.0	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
50	50	55	120	120
3.05	3.05	16.5	4.2	4.2
11.6	11.6	10.2	11.6	11.6
1.18	1.18	4.3	1.52	1.52
Page 45	Page 45	Page 45	Page 45	Page 45

International Version

Back of the packaging with leporello and additional languages:



PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

ASSORTMENT OVERVIEW

Alkaline Special




Type	V13GA	V13GA	V13GA	V23GA	V23GA
IEC	LR44	LR44	LR44	—	—
Order-No. / consumer unit	04276 101 401	04276 101 402	04276 101 404	04223 101 401	04223 101 402
Order-No. / consumer unit Int. version	04276 112 401	—	—	04223 112 401	—
Batteries / consumer unit	1	2	4	1	2
Width (mm) Blister	56	80	80	56	80
Height (mm) Blister	65	120	120	65	120
Depth (mm) Blister	7	7	7	13	12.5
Weight (g) Blister	4	9	14	10	20
Minimum pieces/ shipment unit	10	10	10	10	10
Innecarton	10	10	10	10	10
Mastercarton	100	100	100	100	100
Voltage (V)	1.5	1.5	1.5	12.0	12.0
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Typical capacity (mAh)	130	130	130	50	50
Height (mm) Battery	5.4	5.4	5.4	28.5	28.5
Diameter (mm) Battery	11.6	11.6	11.6	10.3	10.3
Weight (g) Battery	2.0	2.0	2.0	8.1	8.1
Details	Page 45	Page 45	Page 45	Page 45	Page 45
EAN/GTIN/ consumer unit					

International Version

Back of the packaging with leporello and additional languages:





V27A	V27A	V625U
LR27	LR27	LR9
04227 101 401	04227 101 402	04626 101 401
04227 112 401	—	04626 112 401
1	2	1
56	80	56
65	120	65
13	12.5	7
7	14	5
10	10	10
10	10	10
100	100	100
12.0	12.0	1.5
Alkaline	Alkaline	Alkaline
19	19	150
28.2	28.2	6.2
8.0	8.0	16.0
4.85	4.85	3.5
Page 45	Page 45	Page 45
		


International
Version

Back of the packaging with Leporello
and additional languages:



Special Batteries



Type	430	431	435	540
Order-No. / consumer unit	00430 101 111	00431 101 111	00435 101 111	00540 101 111
Voltage (V)	6.0	6.0	6.0	6.0
Capacity (Ah)	7.5	8.5	35	17
Width (mm)	67	67	136	130
Height (mm)	115	115	125	120
Depth (mm)	67	67	73	70
Weight (g)	495	518	1305	1064
Minimum pieces/shipment unit	1	1	1	1
Innercarton	—	—	—	5
Mastercarton	20	20	6	10
IEC	4R25X	4R25X	4LR25-2	4R25-2
Electrochemical System	Zinc-chlorid	Zinc-chlorid	Alkaline	Zinc-chlorid
EAN / GTIN consumer unit	 4 008496 171385	 4 008496 171392	 4 008496 149399	 4 008496 165629

Special Batteries Reference List

VARTA						Cross references					
Type	Order-No.	Voltage (V)	Electrochem. System	Height (mm)	Diameter (mm)	Panasonic	Duracell	Renata	GP	Energizer	IEC
CR1216	06216 101 401	3.0	Lithium	1.6	12.5	CR1216	1216	CR1216	CR1216	CR1216	CR1216
CR1220	06220 101 401	3.0	Lithium	2.0	12.5	CR1220	1220	CR1220	CR1220	CR1220	CR1220
CR1225	06225 101 401	3.0	Lithium	2.5	12.5	CR1225	—	CR1225	—	BR1225	CR1225
CR1616	06616 101 401	3.0	Lithium	1.6	16.0	CR1616	1616	CR1616	CR1616	CR1616	CR1616
CR1620	06620 101 401	3.0	Lithium	2.0	16.0	CR1620	1620	CR1620	CR1620	CR1620	CR1620
CR1632	06632 101 401	3.0	Lithium	3.2	16.0	CR1632	1632	CR1632	CR1632	CR1632	CR1632
CR2016	06016 101 401	3.0	Lithium	1.6	20.0	CR2016	2016	CR2016	CR2016	CR2016	CR2016
CR2025	06025 101 401	3.0	Lithium	2.5	20.0	CR2025	2025	CR2025	CR2025	CR2025	CR2025
CR2032	06032 101 401	3.0	Lithium	3.2	20.0	CR2032	2032	CR2032	CR2032	CR2032	CR2032
CR2320	06320 101 401	3.0	Lithium	2.0	23.0	—	—	CR2320	—	—	CR2320
CR2354	06354 101 401	3.0	Lithium	5.4	23.0	CR2354	—	—	—	—	CR2354
CR2430	06430 101 401	3.0	Lithium	3.0	24.5	CR2430	2430	CR2430	CR2430	CR2430	CR2430
CR2450	06450 101 401	3.0	Lithium	5.0	24.5	CR2450	2450	CR2450N	CR2450	CR2450	CR2450
CR2477	06477 101 401	3.0	Lithium	7.7	24.5	CR2477	—	CR2477N	—	—	CR2477
CR3032	06732 101 401	3.0	Lithium	3.2	30.0	CR3032	—	—	CR3032	—	CR3032
CR1/3N	06131 101 401	3.0	Lithium	10.8	11.6	—	1/3N	—	CR1/3N	2L76	CR 11108
V28PXL	06231 101 401	6.0	Lithium	25.1	13.0	—	28L	—	—	—	2CR13252
LR1/4001/N	04001 101 401	1.5	Alkaline	30.2	12.0	LR1	N/LR1	—	N	LR1/E90	LR1
AAAA	04061 101 402	1.5	Alkaline	42.5	8.3	—	AAAA	—	AAAA	AAAA	LR61
V4034	04034 101 401	6.0	Alkaline	25.2	13.0	4LR44	—	—	476A	A544	4LR44
V3GA	24261 101 401	1.5	Alkaline	3.6	7.9	LR41	—	—	192	—	LR41
V10GA	04274 101 401	1.5	Alkaline	3.05	11.6	LR1130	LR54	—	189	LR54/189	LR54
V11A	04211 101 401	6.0	Alkaline	16.5	10.2	—	MN11	—	11A	A11/E11	—
V12GA	04278 101 401	1.5	Alkaline	4.2	11.6	LR43	LR43	—	186	LR43/186	LR43
V13GA	04276 101 401	1.5	Alkaline	5.4	11.6	LR44	LR44	LR44	A76	LR44/A76	LR44
V23GA	04223 101 401	12	Alkaline	28.5	10.3	LRV08	MN21	—	23A	A23	—
V27A	04227 101 401	12	Alkaline	28.2	8.0	—	MN27	—	27A	A27	—
V625U	04626 101 401	1.5	Alkaline	6.2	16.0	—	625A	—	PX625A	EPX625G	LR9
V13GS	04176 101 401	1.55	Silver oxide	5.4	11.6	SR44	357/303	357	357/S76E/303	357/303	SR44
V28PX	04028 101 401	6.2	Silver oxide	25.2	13.0	4SR44	—	—	—	—	4SR44
V76PX	04075 101 401	1.55	Silver oxide	5.4	11.6	SR44	357/303	—	—	EPX76/SR44	SR44
CR-P2	06204 301 401	6.0	Lithium	36.0	—	CRP2	223/CR-P2	—	CR-P2	223	CR-P2
CR123A	06205 301 401	3.0	Lithium	34.5	17.0	CR123	123	—	CR123A	123	CR17345
2CR5	06203 301 401	6.0	Lithium	34.0	—	2CR5	C2CR5	—	2CR5	2CR5	2CR5
CR½AA	06127 101 401	3.0	Lithium	25.0	14.5	—	—	—	CR14250	—	CR14250
CR2	06206 301 401	3.0	Lithium	27.0	15.6	CR2	CR2	—	CR2	CR2	CR15H270